

ADHD Stimulant Medication Tables

This aid is a PDF version of the tables located at https://ohiomindsmatter.org/health-professionals/medication-guides/stimulants

Methylphenidate Tables

Methylphenidate (immediate release)

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Ritalin	5 mg, 10 mg, 20 mg	5 mg BID	60 mg divided	-
Methylin chewable	2.5 mg, 5 mg, 10 mg	5 mg BID	60 mg divided	-
Methylin liquid	5 mg/5 ml,10 mg/5 ml	5 mg BID	60 mg divided	-

Methylphenidate extended-release capsule

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Ritalin LA	10 mg, 20 mg, 30 mg, 40 mg, 60 mg	20 mg daily	60 mg daily	Can be opened/sprinkled
Metadate CD	10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg	20 mg daily	60 mg daily	-



Methylphenidate Osmotic extended-release tablet

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Concerta	18 mg, 27 mg, 36 mg, 54 mg	18 mg daily	54 mg (for 6-12 years) 72 mg (for age 13+)	Cannot be divided or crushed
Relexxii	18 mg, 27 mg, 36 mg, 45 mg, 54 mg, 63 mg, 72 mg	18 mg daily	54 mg (for 6-12 years) 72 mg (for age 13+)	Cannot be divided or crushed

Methylphenidate multilayer extended-release capsule

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Aptensio XR	10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg	10 mg daily	60 mg	Can be opened/sprinkled



Methylphenidate extended-release liquid

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Quillivant XR	25 mg/ 5ml solution Bottles (ml): 60 mg, 120 mg, 150 mg, 180 mg	20 mg daily	60 mg daily	Bottles intended to last one month 20% immediate release, 80% extended release

Methylphenidate extended-release chewable tablet

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
QuilliChew ER	20 mg, 30 mg scored chew tabs	20 mg daily	60 mg daily	30% immediate release, 70% extended release
	40 mg unscored chew tabs			

Methylphenidate extended release orally disintegrating

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Cotempla XR-ODT	8.6 mg, 17.3 mg, 25.9 mg	17.3 mg daily	51.8 mg daily	Orally disintegrating tab



Methylphenidate extended release transdermal

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Daytrana	10 mg, 15 mg, 20 mg, 30 mg	10 mg daily	30 mg daily	Possible adverse skin reaction/irritation due to patch Not suitable for swimming/heavy sweating

Methylphenidate extended release administered at night

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Jornay PM	20 mg, 40 mg, 60 mg, 80 mg, 100 mg	20 mg daily	100 mg daily	Has extended release coating, administered in the evening
				Start at 8pm, adjust to between 6:30- 9:30 as needed, works in AM
				Insomnia at higher rates (33%) than some other stimulants



Methylphenidate sustained release tablet

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Metadate ER	10 mg, 20 mg	20 mg daily	60 mg daily	Must be swallowed whole

Serdexmethylphenidate and dexmethylphenidate

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Azstarys	26.1 mg/ 5.2 mg, 39.2 mg/ 7.8 mg, 52.3 mg/ 10.4 mg	26.1 mg/ 5.2 mg (Ages 6-12) 39.2 mg/ 7.8 mg (Ages 13+)	52.3 mg/ 10.4 mg	Combination of 30% immediate release dexmethylphenidate plus 70% of serdexmethylphenidate, a dexmethylphenidate prodrug can be opened & sprinkled



Dexmethylphenidate Tables

Dexmethylphenidate (immediate release) tab

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Focalin	2.5 mg, 5 mg, 10 mg	2.5 mg BID	20 mg divided BID	-

Dexmethylphenidate extended-release capsule

Brand Names	Dosage Forms	Starting Dose	Max Dose	Notes
Focalin XR	5 mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg	5 mg daily	30 mg daily	Can be opened/sprinkled



Amphetamine Derivatives Tables

Amphetamine (immediate release)

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Adderall (mixed amphetamine salts)	5 mg, 7.5 mg, 10 mg, 12.5 mg, 15 mg, 20 mg (scored), 30 mg (scored)	2.5 mg daily	5 mg daily or BID	40 mg divided BID	-
Zenzedi (d-amphetamine sulfate)	2.5 mg, 5 mg, 10 mg, 15 mg, 20 mg, 30 mg	2.5 mg daily	5 mg daily or BID	40 mg divided BID	-
Evekeo (d- & l- amphetamine sulfate)	5 mg (scored), 10 mg (cross-scored)	2.5 mg daily	5 mg daily or BID	40 mg divided BID	-
Evekeo ODT	2.5 mg, 5 mg, 10 mg, 15 mg, 20 mg	2.5 mg daily	5 mg daily or BID	40 mg divided BID	-
Procentra (d-amphetamine liquid)	5 mg/5 ml	2.5 mg daily	5 mg daily or BID	40 mg divided BID	-



Amphetamine Derivatives Tables - Continued

Mixed Amphetamine salts extended release capsule

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Adderall XR	5 mg, 10 mg, 15 mg, 20 mg, 25 mg, 30 mg	-	5 mg daily	30 mg daily	Can be opened/sprinkled
Mydayis	12.5 mg, 25 mg, 37.5 mg, 50 mg	-	12.5 mg daily¹	25 mg daily (50 mg daily for adults)	Mydayis has a third phase of extended release, prolonging the duration of action ¹ Mydayis is FDA approved for ages 13+

Lisdexamfetamine (prodrug)

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Vyvanse - capsule	10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg capsule	-	30 mg	70 mg daily	Capsules can be opened and mixed with water, yogurt, or orange juice
Vyvanse - chewable tablet	10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg chewable tablet	-	30 mg	70 mg daily	-



Amphetamine Derivatives Tables - Continued

Amphetamine extended release orally disintegrating

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Adzenys XR-ODT	3.1 mg, 6.3 mg, 9.4 mg, 12.5 mg, 15.7 mg, 18.8 mg	6.3 mg daily	18.8 mg daily	-	-

Amphetamine extended-release liquid

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Dynavel XR	2.5 mg/ml	-	2.5 mg daily	20 mg daily	-



Amphetamine Derivatives Tables - Continued

Amphetamine extended-release tablet

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Dynavel XR	5 mg, 10 mg, 15 mg, 20 mg	-	2.5 mg daily	20 mg daily	-

Dextroamphetamine extended-release capsule

Brand Names	Dosage Forms	Starting Dose Ages 3-5	Starting Dose Age 6+	Max Dose	Notes
Dexedrine Spansule	5 mg, 10 mg, 15 mg	-	5 mg daily or BID	60 mg daily	Can be opened/sprinkled



Tips for Combining Medications

Prescribers may consider combining medications under the following circumstances:

Circumstance:	Option:
Partial response to stimulant or have breakthrough symptoms	Consider combining a stimulant with a non-stimulant medication
Child continues to experience hyperactivity/impulsivity symptoms	Add clonidine or guanfacine to a stimulant as adjunct
Inattention symptoms, if intolerability to stimulants with inattention symptoms as primary concern	Add atomoxetine Note: Combining atomoxetine with stimulants is off label
Depression comorbidity	Consider adding bupropion to a stimulant as treatment for depression & potential adjunct for ADHD, although this strategy has not been well-studied

Common Side Effects for Stimulant Medications

Reduced appetite/weight loss, insomnia, nervousness, stomachaches, headaches, mild irritability as medicine kicks in, mild irritability as medicine wears off, mild social withdrawal, mild increases in heart rate or blood pressure

Serious Side Effects for Stimulant Medications (Rare)

Severe mood problems, serious aggression, hallucinations, severe social withdrawal, severe tics, large increases in heart rate or blood pressure